

3

STATISTICAL TABLES

OF

THE ROYAL INFIRMARY OF EDINBURGH:

SIXTH SERIES,

FROM 1st OCTOBER 1845 TO 30th SEPTEMBER 1846;

BEING AN

APPENDIX TO THE REPORT OF THE MANAGERS
FOR THE YEAR 1846.

COMPILED BY

JOHN HUGHES BENNETT, M.D.,

PATHOLOGIST AND KEEPER OF STATISTICS TO THE ROYAL INFIRMARY.

EDINBURGH:

PRINTED BY ROBERT HARDIE & CO.

20. FREDERICK STREET.

1847.



TABLE I.

GENERAL STATEMENT of CASES treated in the ROYAL INFIRMARY between the 1st of October 1845 and the 1st of October 1846.

Cases remaining on the 1st of October 1845,	257
... Admitted between the 1st of October 1845 and 1st of October 1846,	3688
Of these were dismissed — Cured,	2270
... Relieved,	538
Not Relieved, Irregular, or from other causes,	410
Died,	407
	<hr/>
Total Dismissals,	3625
Remaining under treatment 1st October 1846,	270
	<hr/>
Total under treatment during the year,	3895

TABLE II.

PATIENTS treated in the ROYAL INFIRMARY between the 1st of October 1845 and the 1st of October 1846; arranged according to their DISEASES.

DISEASES.	MALES.										FEMALES.										Average Residence in Hospital. Days.	Mortality per Cent.	
	Totals.	Total Males.	Cured.	Relieved.	Not Relieved, or on other Grounds.	Died.	Total Females.	Cured.	Relieved.	Not Relieved, or on other Grounds.	Died.	Males.		Females.									
												Males.	Females.										
FEVER—	606	333	282	51	273	237	36	25											
Febricula	79	40	40	39	39	13											
Intermittent	3	3	2	...	1	24											
Gastric	5	5	1	1	...	3	11											
Total Fevers	693	381	325	1	1	54	312	276	36	...	14.12	11.53									
OF NERVOUS SYSTEM—																							
Cephalalgia	11	4	3	1	7	4	3	22											
Vertigo	4	3	2	...	1	...	1	1	36											
Meningitis	2	1	1	1	1	31											
Encephalitis	2	1	1	1	1	9											
Delirium Tremens	60	50	34	16	10	8	2	13											
Hydrocephalus	1	1	1	27											
Apoplexy	5	4	1	3	1	1	2											
Insanity	8	3	2	...	1	...	5	5	...	20											
Mania	14	13	3	1	9	...	1	1	18											
Dementia	1	1	1	14											
Amentia	1	1	1	...	8											
Melaucholia	2	2	1	...	1	21											
Hypochondriasis	17	14	5	2	7	...	3	3	...	16											
Morbus Cerebri	5	3	...	1	1	1	2	...	1	1	...	44											
Coma	1	1	1	3											
Epilepsy	18	7	2	1	1	...	11	3	2	5	1*	28											
Cataplexy	1	1	1	32											
Spinal Irritation	19	19	8	6	5	...	30											
Disease of Spinal Chord	1	1	1	29											
Tetanus	3	1	1	2	1	1	24											
Hysteria	31	31	9	12	10	...	19											
Chorea	1	1	...	1	17											
Neuralgia	16	7	3	1	3	...	9	4	...	5	...	15											
Tic Doloroux	2	2	1	1†	11											
Paralysis—kind not stated	19	13	5	2	2	...	6	1	...	5	...	47											
Hemiplegia	11	6	3	1	...	2	5	2	2	...	1	36											
Paraplegia	9	8	4	1	2	1	1	1	63											
Paralysis Partialis	15	11	4	4	3	...	4	...	2	2	...	35											
Paralysis Generalis	3	2	1	1	1	1	38											
Anæsthesia	1	1	1	29											
Total of Nervous System	284	158	76	16	39	27	126	46	29	42	9	...	19.70	8.73									
OF RESPIRATORY ORGANS—																							
Laryngitis Acutus	2	1	1	1	1	36											
Chronicus	3	1	...	1	2	1	...	1	...	29											
Tracheitis	1	1	1	2											
Catarrhus Communis	13	7	4	3	6	3	1	2	...	26											
Epidemicus	3	1	1	2	2	19											
Bronchitis Acutus	53	39	27	3	5	4	14	10	2	...	2	24											
Chronicus	147	81	40	26	8	7	66	38	13	9	6	21											
Emphysema	11	8	3	2	3	...	3	...	1	2	...	28											
Asthma	9	6	1	2	3	...	3	...	1	2	...	31											
Apoplexia Pulmonalis	2	2	2	3											
Hemoptysis	5	4	4	1	1	23											
† Pneumonia	67	50	33	4	...	13	17	12	2	...	3	24											
Pleuritis	31	17	12	1	...	4	11	8	2	...	4	30											
Empyema	1	1	1	15											
Pleurodynia	26	15	11	1	3	...	11	9	...	2	...	9											
Gangrena Pulmonum	4	3	1	2	1	1	78											
Phthisis	165	91	1	35	13	42	74	...	28	10	36	42											
Pertussis	1	1	1											
Total Respiratory Organs	543	327	139	78	35	75	216	85	50	28	53	...	23.89	25.24									

* This person was admitted during an Epileptic fit; having been subject to them for several years. About five months previously she had an attack of Delirium Tremens; and on the day following admission, a second attack set in, from which she died.

† This person had laboured under Tic Doloroux for upwards of six years. On admission, his sufferings were most acute; on the next day he suddenly died. An opportunity was not afforded of investigating the cause of death.

‡ Of 67 cases of Pneumonia, 19 were complicated with or followed by Pleuritis, 3 with Pericarditis, and 1 with Endocarditis.

TABLE II.—PATIENTS treated in the ROYAL INFIRMARY between the 1st of October 1845 and the 1st of October 1846; arranged according to their DISEASES,—*continued.*

DISEASES.	MALES.						FEMALES.					Average Residence in Hospital.	Mortality per Cent.	
	Totals.	Total Males.	Cured.	Relieved.	Not Relieved, or on other Grounds.	Died.	Total Females.	Cured.	Relieved.	Not Relieved, or on other Grounds.	Died.		Males.	Females.
												Days.		
OF ORGANS OF CIRCULATION—														
Morbus Cordis	94	58	4	25	16	13	36	2	16	9	9	25		
Carditis	1	1	1		
Endocarditis	4	3	2	1	1	1	32		
Pericarditis	5	3	2	1	2	2	30		
Angina Pectoris	1	1	...	1	14		
Aneurisms, External	2	2	2	98		
Internal	7	2	...	2	5	...	3	1	1	49		
Varicose Veins	5	4	1	2	1	...	1	...	1	36		
Phlebitis	3	1	1	2	2	27		
Epistaxis	1	1	1	11		
Total Organs of Circulation	123	75	12	29	17	17	48	4	21	10	13		24.28	30.23
OF ORGANS OF DIGESTION—														
Tonsillitis Acutus	11	6	6	5	4	...	1	...	14		
Chronicus	8	3	1	2	5	3	1	1	...	8		
Ulcerated Throat	15	6	5	1	9	6	2	...	1	43		
Glossitis	3	1	1	2	2	13		
Dysphagia	1	1	1	46		
Enlarged Uvula	1	1	1	4		
Parotitis	1	1	1	10		
Gastralgia	5	2	2	3	2	1	9		
Gastritis	3	1	1	2	2	20		
Disease of Stomach	5	1	1	4	...	1	...	3	30		
Ulceration of ditto	1	1	1	38		
Vomiting	4	1	1	3	1	...	2	...	64		
Dyspepsia	94	57	29	21	7	...	37	23	8	6	...	23		
Hæmatemesis	7	1	1	6	6	21		
Gastro-Enteritis	1	1	1	5		
Enteritis	3	2	1	1	1	1	53		
Dysenteria	11	10	10	1	1	33		
Constipation	5	3	3	2	1	1	30		
Diarrhœa	61	40	35	2	3	...	21	19	...	2	...	19		
Malæna	1	1	1	15		
Colica	4	3	3	1	1	7		
Hernia	7	5	5	2	2	9		
Peritonitis	16	5	3	2	11	9	2	28		
Puerperal ditto	1	1	1	30		
Typhlo-Enteritis	3	3	3	17		
Hepatitis	2	1	1	1	1	18		
Encephaloma Hepatis	1	1	1	9		
Morbus Hepatis	11	8	3	2	...	3	3	...	1	...	2	29		
Jeterus	6	3	1	...	1	1	3	2	1	28		
Disease of Spleen	3	2	...	2	1	1	46		
Total Organs of Digestion	295	168	117	80	11	10	127	85	15	12	15		5.95	11.82
OF URINARY ORGANS—														
Nephritis	7	4	3	1	3	1	1	...	1	29		
Bright's Disease	37	24	...	11	6	7	13	1	5	3	4	33		
Disease of Kidney,—kind not stated	6	4	1	1	...	2	2	1	1	39		
Disease of Bladder	8	7	4	2	1	...	1	1	20		
Calculus Vesicæ	3	3	1	1	1	27		
Urethritis	1	1	1	19		
Stricture of Urethra	12	12	8	3	1	33		
Retention of Urine	3	2	1	1	1	...	1	7		
Incontinence of Urine	1	1	1	11		
Extravasation of Urine	1	1	1	8		
Hæmaturia	1	1	1	13		
Cystitis	4	2	2	2	1	1	15		
Disease of Prostate	2	2	...	1	1	23		
Total of Urinary Organs	86	63	22	20	10	11	23	6	8	3	6		17.46	26.08

Note.—In the daily Register the following distinctions are embraced under the head "On other Grounds:"—Dismissed—Irregular—Improper—By desire—Incurable.

TABLE II.—PATIENTS treated in the ROYAL INFIRMARY between the 1st of October 1845 and the 1st of October 1846; arranged according to their DISEASES,—*continued.*

DISEASES.	MALES.						FEMALES.					Average Residence in Hospital. Days.	Mortality per Cent.	
	Totals.	Total Males.	Cured.	Relieved.	Not Relieved, or on other Grounds.	Died.	Total Females.	Cured.	Relieved.	Not Relieved, or on other Grounds.	Died.		Males.	Females.
OF GENITAL ORGANS—														
Gonorrhœa	15	15	13	...	2	23		
Primary Syphilis	17	17	13	1	3	25		
Secondary ditto	30	19	11	3	4	1	11	4	2	4	1	31		
Phymosis	7	7	5	2	20		
Paraphymosis	1	1	1	1		
Orchitis	2	2	1	...	1	10		
Fungus Testis	1	1	1	64		
Chronic Enlargement of Testis	2	2	2	43		
Disease of Scrotum	1	1	1	29		
Hydrocele	20	20	20	21		
Varicocele	2	2	2	23		
Hæmatocele	1	1	1	35		
Leucorrhœa	10	10	6	3	1	...	19		
Vesico-vaginal Fistula . .	1	1	1	90		
Recto-vaginal ditto	1	1	...	1	63		
Disease of Uterus	3	3	...	1	...	2	37		
Tumours of ditto	2	2	2	...	22		
Diseases of Ovary	1	1	1	...	45		
Amenorrhœa	23	23	17	5	1	...	24		
Menorrhagia	5	5	4	1	16		
Dysmenorrhœa	1	1	1	15		
Chlorosis	1	1	...	1	14		
Phagedenic Disease of Penis	3	3	3	22		
Total of Genital Organs	150	91	72	6	11	2	59	32	14	9	4		2.18	6.77
OF THE INTEGUMENTARY SYSTEM, INCLUDING FEBRILE ERUPTIONS—														
Exanthemata—Urticaria . .	1	1	1	9		
" Rubella	13	8	7	1	5	4	1	13		
" Scarlatina	5	1	1	4	4	15		
" Erysipelas	93	43	36	7	50	46	...	2	2	26		
" Varicella	2	1	1	1	1	11		
" *Erythema Nodosum . . .	1	1	1	68		
" Erythema	1	1	1	3		
Vesiculæ—Eczema	3	1	1	2	1	1	23		
" Scabies	7	5	4	...	1	...	2	2	24		
" Herpes	1	1	1	57		
Bullæ—Rupia	3	2	2	1	1	31		
" Pemphigus	4	2	1	1	2	2	23		
Pustulæ—Impetigo	2	2	1	1	21		
" Ecthyma	2	2	2	17		
" Acne	1	1	1	20		
" Porrigo	8	3	1	1	1	...	5	2	3	23		
" Porrigo Favosa	3	1	1	2	1	...	1	...	31		
" Variola	67	38	32	6	29	26	...	1	2	23		
" Prurigo	1	1	1	...	47		
Papulæ—Lichen	2	2	1	1	23		
Squamæ—Psoriasis	20	9	4	4	1	...	11	6	4	1	...	41		
" Lepra	9	5	2	3	4	2	...	2	...	21		
" Pytyriasis	1	1	...	1	29		
Purpura	3	3	2	1	15		
Lupus	5	2	1	...	1	...	3	...	2	1	...	25		
Tuberculosis	2	2	...	2	58		
Furunculus	3	1	1	2	2	18		
Carbuncle	4	2	1	1	2	1	1	19		
Paronychia	3	2	2	1	1	15		
Total of Integ. System, &c.	270	136	103	14	4	15	134	107	14	8	5		11.03	3.74

* This patient was admitted labouring under Erythema Nodosum, of which she was cured in a few days. Her long residence is accounted for, from her having been put under treatment for Secondary Syphilis, from which she was suffering at the time of admission. She was dismissed cured.

TABLE II.—PATIENTS treated in the ROYAL INFIRMARY between the 1st of October 1845 and the 1st of October 1846; arranged according to their DISEASES,—*continued*.

DISEASES.	Totals.	MALES.					FEMALES.					Average Residence in Hospital. Days.	Mortality per Cent.	
		Total Males.	Cured.	Relieved.	Not Relieved, or on other Grounds.	Died.	Total Females.	Cured.	Relieved.	Not Relieved, or on other Grounds.	Died.		Males.	Females.
OF THE EYE—														
Conjunctivitis	17	10	9	1	7	6	1	31		
Corneitis	2	2	1	1	14		
Staphyloma	1	1	1	37		
Leucoma	3	2	2	1	1	13		
Iritis	12	9	7	2	3	3	35		
Cataract	5	3	...	2	1	...	2	...	1	1	...	25		
Amaurosis	10	7	1	5	1	...	3	...	2	1	...	43		
Gonorrhœal Ophthalmia	1	1	1	24		
Strumous Ophthalmia	2	1	1	1	1	47		
Scleritis	1	1	1	5		
Strabismus	3	1	1	2	2	10		
Not mentioned	5	3	1	...	2	...	2	1	1	49		
Total of the Eye	62	39	24	11	4	...	23	16	5	2
OF THE EAR—														
Deafness	3	1	1	2	1	1	15		
Otorrhœa	1	1	1	25		
Otitis	1	1	1	17		
Total of the Ear	5	1	1	4	3	1
OF THE NOSE AND MOUTH—														
Nasal Polypus	3	2	2	1	1	15		
Hare Lip	7	5	5	2	2	32		
Disease of Upper Jaw	6	4	4	2	1	1	17		
" of Lower Jaw	5	4	3	1	1	1	29		
Exfoliation of Sept Nasi	1	1	1	40		
Not specified	9	7	5	1	1	...	2	2	26		
Total of Nose and Mouth	31	23	20	2	1	...	8	7	1
OF RECTUM AND ANUS—														
Hæmorrhoids	17	12	10	2	5	4	1	12		
Fistula in Ano	24	23	19	...	4	...	1	1	19		
Prolapsus Ani	3	1	1	2	2	11		
Condylomata	3	2	2	1	1	21		
Recto Vesical Fistula	1	1	1	26		
Total of Rectum and Anus	48	39	32	2	5	...	9	8	1
OF THE LOCOMOTIVE ORGANS—														
Arthrodynia	5	4	3	1	1	1	47		
Synovitis	10	7	5	2	3	2	1	38		
Hydrops Articulæ	2	2	1	...	1	12		
Of Shoulder Joint	1	1	1	18		
" Elbow Joint	7	6	2	...	3	1	1	1	48		
" Hip Joint	16	14	7	5	2	...	2	...	2	34		
" Knee Joint	24	15	7	6	...	2	9	3	52		
" Ankle Joint	5	3	2	1	2	1	...	1	...	66		
" Wrist Joint	1	1	...	1	15		
" Spine	9	5	1	4	4	1	2	1	...	47		
" Bursæ	7	2	2	5	4	...	1	...	28		
Periostitis	29	16	12	4	13	11	1	1	...	29		
Caries	14	8	3	1	2	2	6	6	24		
Necrosis	19	15	8	1	4	2	4	2	1	1	...	36		
Curvature of Spine	4	1	...	1	3	...	2	1	...	16		
Spina Ventosa	1	1	...	1	87		
Of Bone, not stated	9	5	3	1	...	1	4	1	1	2	...	27		
Ostitis	1	1	1	19		
Disease of Pelvis	2	2	...	1	...	1	66		
Exfoliation from Pubis	1	1	1	61		
Exostosis	3	2	...	1	...	1	1	1	...	29		
Club Foot	5	2	2	3	2	...	1	...	15		
Contraction of Extremity	1	1	1	20		
Total of Locomotive Organs	176	115	60	31	13	11	61	41	10	10	...		9.56	...

TABLE II.—PATIENTS treated in the ROYAL INFIRMARY between the 1st of October 1845 and the 1st of October 1846; arranged according to their DISEASES,—*continued.*

DISEASES.	MALES.										FEMALES.										Mortality per Cent.	
	Totals.	Total Males.	Cured.	Relieved.	Not Relieved, or on other Grounds.	Died.	Total Females.	Cured.	Relieved.	Not Relieved, or on other Grounds.	Died.	Average Residence in Hospital.										
												Days.	Males.	Females.								
TUMOURS—																						
Non-Malignant . . .	30	12	10	2	18	12	...	4	2	19										
Malignant Tumours . .	10	5	2	1	2	...	5	2	...	3	...	16										
Fungus Hematodes . .	1	1	...	1	26										
Scirrhus . . .	13	7	5	2	6	2	3	1	...	22										
Tumours of Sympathetic Glands . . .	1	1	...	1	22										
Hydatids . . .	1	1	1	11										
Total of Tumours . . .	56	26	17	5	2	2	30	17	3	8	2		7.69	6.66								
ABSCESSES—																						
Pelvic Abscess . . .	65	41	34	3	2	2	24	18	5	1	...	26										
Ulcers of Leg . . .	2	2	2	63										
Ulcers of other parts . .	78	45	36	4	5	...	33	29	2	2	...	31										
Varicose Ulcers . . .	36	16	10	4	2	...	20	13	5	2	...	27										
Sinuses . . .	5	2	1	1	3	1	2	26										
	11	7	4	1	2	...	4	3	1	14										
Total Abscesses and Ulcers	197	111	85	13	11	2	86	66	15	5	...		1.80	...								
GANGRENE—																						
Gangrene of Leg . . .	1	1	1	100	...								
EXTERNAL INJURIES—																						
Fractures of Cranium . .	5	3	2	1	2	2	24										
" " Nose										
" " Clavicle . . .	5	5	5	10										
" " Jaw . . .	2	1	1	1	1	23										
" " Humerus . . .	7	4	4	3	3	25										
" " Fore-arm . . .	3	3	3	31										
" " Metacarpal Bones . .	1	1	1	27										
" " Ribs . . .	6	3	1	2	3	3	16										
" " Femur . . .	24	20	18	2	4	2	2	50										
" " Patella . . .	3	1	1	2	2	35										
" " Leg . . .	19	15	13	2	4	3	1	37										
" " Tibia . . .	9	9	6	3	48										
" " Fibula . . .	12	10	10	2	2	30										
Dislocations of Clavicle										
" " Shoulder . . .	1	1	1	6										
" " Radius and Ulna										
" " Hip Joint . . .	5	4	4	1	1	25										
" " Ankle . . .	1	1	1	21										
Injuries of Head . . .	32	27	18	4	2	3	5	4	1	12										
" " Face . . .	5	4	4	1	1	11										
" " Superior Extremities . .	31	24	16	1	6	1	7	5	...	2	...	20										
" " Chest . . .	8	6	5	1	2	2	29										
" " Abdomen . . .	3	3	3	17										
" " Inferior Extremities . .	44	30	22	1	4	3	14	13	...	1	...	20										
Injuries of Spine . . .	3	2	1	1	1	1	21										
Wounds . . .	30	27	15	...	12	...	3	2	...	1	...	19										
Gunshot Wounds . . .	3	3	2	1	23										
Burns and Scalds . . .	37	27	20	6	...	1	10	4	4	1	1	28										
Sprains . . .	14	7	4	3	7	3	3	1	...	9										
Fracture of Ilium . . .	1	1	1	32										
Cut Throat . . .	3	2	1	1	1	1	19										
Wry Neck . . .	2	2	1	...	1	...	30										
Total External Injuries	320	245	178	15	24	23	75	56	8	7	4		9.38	5.33								

TABLE II.—PATIENTS treated in the ROYAL INFIRMARY between the 1st of October 1845 and the 1st of October 1846; arranged according to their DISEASES,—*continued.*

DISEASES.	Totals.	MALES.					FEMALES.					Average Residence in Hospital.	Mortality per Cent.			
		Total Males.	Cured.	Relieved.	Not Relieved, or on other Grounds.	Died.	Total Females.	Cured.	Relieved.	Not Relieved, or on other Grounds.	Died.		Males.	Females.		
														Days.		
MISCELLANEOUS—																
Lumbago	6	5	4	...	1	...	1	1	...	12				
Sciatica	19	18	6	7	5	...	1	1	20				
Acute Rheumatism . .	46	24	20	4	22	21	1	27				
Chronic ditto	98	58	24	20	14	...	40	19	14	7	...	26				
Edema	1	1	1	10				
Ascites	7	2	1	1	5	2	3	25				
Anasarca	7	1	1	6	5	...	1	...	23				
Marasmus	1	1	1	63				
Scorbutis	1	1	...	1	15				
Scrofula	5	3	...	2	1	...	2	...	2	18				
Diabetes	3	2	...	1	...	1	1	1	138				
Debilitas	2	1	1	1	1	2				
Vermes	2	1	1	1	1	7				
Poisoning	7	3	3	4	3	1	16				
Ptyalism	1	1	1	21				
Inebrietas	13	8	8	5	5	4				
Anæmia	2	2	...	1	1	...	37				
Not specified	26	16	1	14	...	1	10	8	2	7				
Total Miscellaneous .	247	143	69	48	22	4	104	58	22	18	6		2·79	5·76		

Note.—In the table of External Injuries, only those cases are included, which from their severity required residence in the Hospital.

TABLE IV.

ADMISSIONS of FEVER PATIENTS in each Month during the Year ending 30th September 1846; with the Sex, and Mortality per Cent. during each Month.

Date.	Total.	Males.	Females	Died.		Mortality per Cent.	
				Males.	Fem.	Males.	Females.
1845. October	88	56	32	8	3	14.25	9.37
„ November	79	42	37	6	5	14.28	13.51
„ December	69	49	20	8	2	16.53	10.
1846. January	64	30	34	6	8	20.	23.52
„ February	35	16	19	6	2	37.5	10.52
„ March	47	18	29	2	2	11.11	6.75
„ April	29	16	13	2	1	12.5	7.46
„ May	33	17	16	3	4	17.64	25.
„ June	29	18	11	2	1	11.11	9.09
„ July	26	15	11	3	1	20.	9.09
„ August*	49	29	20	3	3	10.34	15.
„ September†	28	15	13	4	2	26.66	15.37
Total	576	321	255	53	34	16.51	13.33

* The cases of Febricula are excluded from this Table.

† The numbers represented under these months include those only who were discharged up to October. The others are embraced in the number then remaining in the house.

TABLE V.

DEATHS occurring in FEVER, classified according to Age, in Septennial Periods.

Age.	Males.	Females.
7 to 14	1	4
14 „ 21	8	7
21 „ 28	12	4
28 „ 35	4	3
35 „ 42	8	8
42 „ 49	11	3
49 „ 56	3	2
56 „ 73	5	3
73 „ 80	1	1
80 „ 87	1	1
	54	36

TABLE VI.

Showing the MORTALITY PER CENT. of FEVER CASES for the last Seven Years.

Date.	Total.	Males.	Females.	DIED.		Mortality per Cent.	
				Males.	Females.	Males.	Females.
From 1st July 1839 to 1st Oct. 1841	2194	1019	1175	153	148	15.1	12.59
„ 1st Oct. 1841 to 1st Oct. 1842	851	421	430	68	47	16.15	10.93
„ 1st Oct. 1842 to 1st July 1843	822	406	416	35	21	8.61	5.07
„ 1st July 1843 to 1st Oct. 1844	4645	2286	2359	189	172	8.27	7.29
„ 1st Oct. 1844 to 1st Oct. 1845	683	322	361	39	38	13.12	11.5
„ 1st Oct. 1845 to 1st Oct. 1846	693	381	312	54	36	14.12	11.53
Total, . . .	9888	4835	5053	538	462		

TABLE VII.

ADMISSION of PATIENTS with SMALL POX; with the Number of Deaths in each Month, and Total Mortality per Cent.

Date.	Total.	Males.	Females.	DIED.		Mortality per Cent.	
				Males.	Females.	Males.	Females.
October . . .	15	5	10	2	2		
November . . .	14	7	7	1	...		
December . . .	9	5	4	1	...		
January . . .	6	5	1		
February . . .	7	4	3	1	...		
March . . .	5	4	1		
April . . .	3	2	1		
May . . .	2	2		
June . . .	1	1		
July . . .	1	...	1		
August . . .	2	1	1		
September . .	1	1	...	1	...		
Total, . . .	66	37	29	6	2	16.21	6.89

TABLE VIII.

Cases of SMALL POX Admitted during the Year 1845-46; arranged according to the Ages of the Patients.

Age.	Total.	Males.	Females.	DEATHS.		Mortality per Cent.	Average.
				Males.	Females.		
From 1 to 5	3	1	2	1	1	66.66	1 in 2
„ 5 to 10	2	1	1
„ 10 to 20	16	7	9	1	...	14.28	1 in 16
„ 20 to 30	36	22	14	3	1	11.11	1 in 9
„ 30 to 40	7	5	2	1	...	14.28	1 in 7
„ 40 to 50	2	1	1
Totals,	66	37	29	6	2	12.12	1 in 8

TABLE IX.

Showing the Number of PHTHISICAL PATIENTS admitted each Month, from October 1845 to October 1846; classified according to Sex.

Months.		Males.	Females.	Total.
1845.	October . . .	5	3	8
...	November . . .	5	6	11
...	December . . .	6	8	14
1846.	January . . .	10	11	21
...	February . . .	7	3	10
...	March . . .	8	4	12
...	April . . .	5	6	11
...	May . . .	9	6	15
...	June . . .	7	5	12
...	July . . .	8	4	12
...	August . . .	7	7	14
...	September . . .	4	4	8
		81	67	148

TABLE X.

Exhibiting the Number of PATIENTS admitted with PHTHISIS PULMONALIS, from October 1845 to October 1846; arranged according to their Ages, with the Average Mortality per Cent.

Age.	Total.	Males.	Cured.	Relieved.	Other Grounds.	Died.	Females.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per Cent.	
												Males.	Females.
From 1 to 5	1	1	1	...	100.
... 5 ... 10	1	1	1	...	100.
... 10 ... 15	7	5	...	2	...	3	2	...	1	...	1	60.	50.
... 15 ... 20	17	9	...	4	2	3	8	...	3	3	2	33.33	25.
... 20 ... 30	55	30	...	9	5	16	25	...	12	2	11	53.33	44.
... 30 ... 40	36	17	1	4	3	9	19	...	6	3	10	52.94	52.63
... 40 ... 50	21	15	...	9	...	6	6	...	2	...	4	40.	80.
... 50 ... 60	6	4	...	1	1	2	2	1	1	50.	50.
... 60 ... 70	3	1	1	2	2	100.	100.
... 70 ... 80	1	1	1	100.	100.
	148	81	1	29	11	40	67	...	24	9	34		

Total Mortality per cent. of Males, 49.38
 Females, 50.74
 Males and Females, 50.

TABLE XI.

Showing the Number of PATIENTS admitted with PNEUMONIA from 1st October 1845 to 30th September 1846, classified according to the Months of Admission; with the Results, and Mortality per Cent.

Months.	Total.	Males.	Cured.	Relieved.	Other Grounds.	Died.	Females.	Cured.	Relieved.	Other Grounds.	Died.
October .	4	2	1	1	2	2
November	6	5	2	1	...	2	1	...	1
December	8	6	3	3	2	2
January .	4	2	2	2	2
February	4	3	2	1	1	1
March .	6	5	3	1	...	1	1	1
April .	6	5	4	1	1	...	1
May .	5	5	4	1
June .	7	3	2	1	4	2	2
July .	2	2	2
August .	6	5	4	1	1	1
September	3	2	2	1	1
	61	45	29	4	...	12	16	11	2	...	3

Mortality per cent.—Males, . . . 26.66
 Females, . . . 18.75
 Males and Females, 24.50

TABLE XII.

Showing the Number of PATIENTS admitted with GRANULAR DISEASE of KIDNEY, from 1st October 1845 to 30th September 1846, arranged according to the Months of Admission; with the Results, and Mortality per Cent.

Months.	Total.	Males.	Cured.	Relieved.	On other Grounds.	Died.	Females.	Cured.	Relieved.	On other Grounds.	Died.
October	2	1	1	1	1
November	2	1	...	1	1	1
December	4	2	...	2	2	1	1
January .	2	1	1	...	1	...	1
February	3	2	2	1	...	1
March .	2	1	1	1	1
April .	3	2	...	1	1	...	1	...	1
May .	5	4	...	3	1	...	1	1	...
June .	2	1	1	...	1	1
July .	2	2	1	1
August .	2	2	...	1	...	1
September	2	1	...	1	1	...	1
	31	20	...	9	5	6	11	1	4	2	4

Mortality per cent.—Males, . . . 30
 Females, . . . 36.36
 Males and Females, 32.25

TABLE XIII.

Showing the Number of Patients admitted with MORBUS CORDIS from 1st October 1845 to 30th September 1846, classified according to the Months of Admission; with the Results for each Month.

Months.	Total.	Males.	Cured.	Relieved.	On other Grounds.	Died.	Females.	Cured.	Relieved.	On other Grounds.	Died.
October . .	6	5	1	3	...	1	1	1	...
November .	2	2	1	1
December .	5	4	...	1	2	1	1	...	1
January .	5	3	...	2	1	...	2	...	1	1	...
February .	7	4	...	1	1	2	3	...	1	...	2
March .	8	6	...	5	...	1	2	...	2
April .	7	4	...	3	1	...	3	...	3
May .	10	5	...	1	1	3	5	1	2	...	2
June .	7	4	1	2	1	...	3	1	1	...	1
July .	4	2	...	1	1	...	2	...	1	1	...
August .	7	5	1	2	...	2	2	...	1	...	1
September .	5	3	2	1	2	2
Total .	73	47	4	22	10	11	26	2	13	3	8

TABLE XIV.

Showing the Number of Cases of MORBUS CORDIS admitted during the last Twelve Months, classified according to Septennial Periods; with the Mortality per Cent.

Ages.	Total.	Males.	Cured.	Relieved	On other Grounds.	Died.	Females.	Cured.	Relieved.	On other Grounds.	Died.	Mortality per Cent.
7 to 14	1	1	1	100
14 to 21	10	5	1	2	1	1	5	...	4	...	1	20
21 to 28	11	7	2	4	1	...	4	...	2	1	1	9.09
28 to 35	16	10	1	7	1	1	6	1	2	1	2	18.75
35 to 42	4	3	2	1	1	1	25
42 to 49	9	6	...	2	2	2	3	...	3	22.22
49 to 56	5	2	1	1	3	...	1	...	2	60
56 to 63	6	5	...	3	...	2	1	1	...	50
63 to 70	8	7	...	3	1	3	1	...	1	27.5
70 to 77	2	1	1	...	1	1	50
77 to 84
84 to 91	1	1	...	1
	73	47	4	22	10	11	26	2	13	3	8	

Total Mortality per cent.—Males, 23.4
 Females, 30.76
 Males and Females, 26.02



